



Material Safety Data Sheet

12601 Twinbrook Parkway,
Rockville, MD 20852 USA

Phone Calls: 301-816-8129
8 a.m. to 5 p.m. EST Mon. - Fri.

ATTENTION !

USP Reference Standards are sold for chemical test and assay purposes only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used as a USP Reference Standard and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP Reference Standards are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.

HEPARIN SODIUM FOR ASSAY

Catalog Number: 1304016

Revision Date:

June 16, 2009

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Common Name: Heparin Sodium for Assay

Manufacturer: U. S. Pharmacopeia

Responsible Party: Reference Standards Technical Services

Mailing Address: 12601 Twinbrook Parkway, Rockville, MD 20852 USA

Phone: 301-816-8129

Hours: 8 a.m. to 5 p.m. EST Mon. - Fri.

Product Use: USP Reference Standards and Authentic Substances are used for chemical tests and assays in analytical, clinical, pharmaceutical, and research laboratories.

SECTION 2 - HAZARD INFORMATION

EMERGENCY OVERVIEW - Irritant.

Adverse Effects: Adverse effects following heparin injection may include pale skin; troubled breathing; unusual bleeding or bruising; unusual tiredness or weakness; dizziness; headache; paralysis; red or dark brown urine; red or black, tarry stools; swelling of the ankles, feet, or fingers; pain or numbness in extremities; blue or purple patches in skin; irritability; lightheadedness; confusion; convulsions; fever; organ tissue death; and stroke. Possible allergic reaction to material if inhaled, ingested, or in contact with skin.

Overdose Effects: Overdose effects following injection may include bleeding complications.

Acute: Eye, skin, gastrointestinal and/or respiratory tract irritation.

Chronic: Possible hypersensitization.

Medical Conditions Aggravated by Exposure: Hypersensitivity to material, bleeding or blood disorders, ulceration, liver or kidney function impairment, hypertension, enoxaparin or heparin-induced thrombocytopenia, recent surgery or childbirth, endocarditis, severe trauma, and prosthetic heart valves.

Cross Sensitivity: Persons sensitive to pork or pork products may be sensitive to this material also.

Target Organs: Blood

For additional information on toxicity, see Section 11.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Common Name: Heparin Sodium for Assay

HEPARIN SODIUM FOR ASSAY

Catalog Number: 1304016

Revision Date:

June 16, 2009

Formula: n/f

Synonym: n/f

Chemical Name: Heparin sodium

CAS: 9041-08-1

RTECS Number: MI0850000

Chemical Family: Mucopolysaccharide

Therapeutic Category: Antithrombic

Composition: Pure Material

SECTION 4 - FIRST AID MEASURES

Inhalation: May cause irritation. Remove to fresh air.

Eye: May cause irritation. Avoid contact. Flush with copious quantities of water for at least 15 minutes.

Skin: May cause irritation. Flush with copious quantities of water.

Ingestion: May cause irritation. Flush out mouth with water. This material is not absorbed from the gastrointestinal tract.

General First Aid Procedures: Remove from exposure. Remove contaminated clothing. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.

Note to Physicians

Overdose Treatment: For current information about the treatment of overdose, consult a certified Regional Poison Control Center by calling the number listed in your local telephone directory.

SECTION 5 - FIREFIGHTING MEASURES

Extinguisher Media: Water spray, dry chemical, carbon dioxide, or foam as appropriate for surrounding fire and materials.

Fire and Explosion Hazards: This material is assumed to be combustible. As with all dry powders, it is advisable to ground mechanical equipment in contact with dry material to dissipate the potential buildup of static electricity.

Firefighting Procedures: As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Spill Response: Wear approved respiratory protection, chemically compatible gloves, and protective clothing. Wipe up spillage or collect spillage using a high-efficiency vacuum cleaner. Avoid breathing dust. Place spillage in appropriately labeled container for disposal. Wash spill site.

SECTION 7 - HANDLING AND STORAGE

Handling: As a general rule, when handling USP Reference Standards avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Wash thoroughly after handling.

Storage: Store in tight, light-resistant container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity. Material is hygroscopic.

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Engineering controls such as exhaust ventilation are recommended.

Respiratory Protection: Use a NIOSH-approved respirator, if it is determined to be necessary by an industrial hygiene survey involving air monitoring. In the event that a respirator is not required, an approved dust mask should be used.

Gloves: Chemically compatible

Eye Protection: Safety glasses or goggles**Protective Clothing:** Protect exposed skin.**Exposure Limits:** Industry: 0.02 mg/m³ (Enoxapin sodium)

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Properties as indicated on the MSDS are general and not necessarily specific to the USP Reference Standard Lot provided.**Appearance and Odor:** Lyophilized powder**Odor Threshold:** n/f**pH:** 5 - 7.5 (1% aqueous solution)**Melting Range:** n/f**Boiling Point:** n/f**Flash Point:** n/f**Autoignition Temperature:** n/f**Evaporation Rate:** n/f**Upper Flammability Limit:** n/f**Lower Flammability Limit:** n/f**Vapor Pressure:** n/f**Vapor Density:** n/f**Specific Gravity:** n/f**Solubility in Water:** Soluble**Fat Solubility:** n/f**Other Solubility:** n/f**Partition Coefficient: n-octanol/water:** n/f**Percent Volatile:** n/f**Reactivity in Water:** n/f**Explosive Properties:** n/f**Oxidizing Properties:** n/f**Formula:** n/f**Molecular Weight:** n/f

SECTION 10 - STABILITY AND REACTIVITY**Conditions to Avoid:** n/f**Incompatibilities:** n/f**Decomposition Products:** When heated to decomposition, material emits toxic fumes. Emits toxic fumes under fire conditions.**Stable?** Yes **Hazardous Polymerization?** No**SECTION 11 - TOXICOLOGICAL PROPERTIES****Oral Rat:** LD50: 4850 mg/kg**Oral Mouse:** LD50: >5000 mg/kg**Other Toxicity Data:** n/f**Irritancy Data:** Rabbit/skin, eye: slight (Enoxaparin sodium)**Corrosivity:** n/f**Sensitization Data:** n/f**Listed as a Carcinogen by:** **NTP:** No **IARC:** No **OSHA:** No**Other Carcinogenicity Data:** n/f**Mutagenicity Data:** Enoxaparin (a low molecular weight heparin) was not mutagenic in vitro in the Ames test, the mouse lymphoma cell forward mutation test, or the human lymphocyte chromosomal aberration test. It was not mutagenic in vivo in the rat bone marrow chromosomal aberration test. Enoxaparin did not cause a disruption of chromosomes in vitro in rat bone marrow cells or in vivo in human peripheral lymphocytes.**Reproductive and Developmental Effects:** Enoxaparin (a low molecular weight heparin) can cause an increased risk of bleeding or hemorrhage in pregnant women.

There was no evidence of birth defects in rats and rabbits administered enoxaparin at doses up to 30 mg/kg/day and 410 mg/m2/day, respectively. There was no effect on fertility or reproductive performance in male and female rats administered subcutaneous doses of enoxaparin at 2400 and 4800 IU/kg/day, respectively.

SECTION 12 - ECOLOGICAL INFORMATION**Ecological Information:** n/f**SECTION 13 - DISPOSAL CONSIDERATIONS****Disposal:** Dispose of waste in accordance with all applicable Federal, State and local laws.**SECTION 14 - TRANSPORT INFORMATION****Shipping Name:** n/f**Class:** n/f**UN Number:** n/f**Packing Group:** n/f**Additional Transport Information:** n/f**SECTION 15 - REGULATORY INFORMATION****U.S. Regulatory Information:****International Regulatory Information:**

HEPARIN SODIUM FOR ASSAY**Catalog Number:** 1304016**Revision Date:**June 16, 2009

SECTION 16 - OTHER INFORMATION

Revision: 16-Jun-09**Previous Revision Date:** None